



ALL ITEMS AVAILABLE ON SMARTEQUIP

6115 STATE ROUTE 366

HUNTSVILLE, OH 43324

937.842.3208 PHONE

937.842.3210 FAX

WWW.AHHOSE.COM

WWW.AHHOSE.COM

**OVER 1500
ASSEMBLIES
IN STOCK!**



**24^{HR}
FAST
SHIPPING**

ALL STOCK ORDERS WILL SHIP
WITHIN 24 HOURS



FEATURING QUALITY PRODUCTS BY:

Continental 

 **PUNCH-LOK**
THE GOLD-LOK CLAMPING SYSTEM

 **BAND-IT**
THE CLAMPING EXPERTS

Kanaflex

DIXON

The Right Connection™

 **KEY**
FIRE HOSE
CORPORATION

Gates

tigerflex

 **Jason
Industrial Inc.**
A MEGADYNE GROUP CO.

1.888.798.0201



I N D E X

Air Hose	Page 1
Bulk Hose	Page 5
Suction Hose	Page 7
Discharge Hose	Page 11
Water Wash Down Hose	Page 15
Pressure Wash Hose	Page 17
Ducting and Blower Hose	Page 18
Specialty Hose	Page 19
Hydraulic	Page 22
Accessories	Page 23
Banding Tools and Clamps	Page 31

200 PSI JACKHAMMER HOSE

EPDM abrasion resistant cover and oil resistant tube.
3/4 x 50' with universal couplings and 2 bands on each end.

<u>COLOR</u>	<u>PART #</u>
Red	ZD60038



300 PSI JACKHAMMER HOSE

EPDM abrasion resistant cover and oil resistant tube.
3/4 x 50' with universal couplings and 2 bands on each end or bolt clamps.

<u>COLOR</u>	<u>PART #</u>
Red	ZD60041
Green	ZD60042
Yellow	ZD60039
Blue (250 PSI)	ZD60046



1000 PSI WIRE BRAID JACKHAMMER HOSE

EPDM abrasion resistant cover and oil resistant tube.
3/4 x 50' with universal couplings and bolt clamps.

<u>COLOR</u>	<u>PART #</u>
Yellow	ZD60034



WHIP HOSE

300 PSI. 10' assembly used as connector between supply hose and tool.

<u>DESCRIPTION</u>	<u>1/2"</u>
NPT Male x Universal	WHIP8-10
NPT Male x Bent Stem Swivel	WHIP8-BS



UNIVERSAL HOSE COUPLINGS



SIZE	HOSE END	FEMALE END	MALE END	2/4 BOLT CLAMP
1/4"	UH025	UF025	UM025	-
3/8"	UH037	UF037	UM037	-
1/2"	UH050	UF050	UM050	BU4
3/4"	UH075	UF075	UM075	BU9
1"	UH100	UF100	UM100	BU14
1 1/4"	4L125	4F125	-	BU24
1 1/2"	4L150	4F150	-	BU24
2"	4L200	4F200	-	BU29

2-Lug Universal Sizes 1/4" to 1"

4-Lug Universal Sizes 1 1/4"

3-WAY CONNECTOR



PART #
TC

UNIVERSAL GASKETS



SIZE	PART #
2 Lug	U2W
4 Lug	U4W

DUAL "Y" VALVE



PART #
DHA-10

OSHA SAFETY CHECK VALVE



SIZE	PART #
3/4"	SCVH6
1"	SCVH8
1 1/4"	SCVH10
1 1/2"	SCVH12
2"	SCVH16
3"	SCVH24

COMPRESSOR "Y"



PART #
Y10075

SAFETY CLIP



PART #
SC

SAFETY LANYARD



PART #
SL

SAFETY WHIP-CHECK



HOSE TO HOSE

HOSE ID	LENGTH	PART #
1/2"- 1 1/4"	20 1/4"	HC1
1 1/2"- 3"	38"	HC2



HOSE TO TOOL

HOSE ID	LENGTH	PART #
1/2"- 1 1/4"	20 1/4"	HT1
1 1/2"- 3"	38"	HT2

INLINE LUBRICATOR



SIZE	CAPACITY	PART #
1/2"	1.4 oz	BL-0
3/4"	3.7 oz	PL400
3/4"	11 oz	BL-2
1"	16 oz	PL500

WIRE REINFORCED AIR HOSE (BULL HOSE)

Yellow abrasion resistant cover and oil resisting tube. Spiraled wire braid for flexibility and strength. Super heavy duty for construction, mining or quarry service.

<u>SIZE</u>	<u>WORKING PRESSURE</u>	<u>FEMALE X FEMALE</u>	<u>FEMALE X MALE</u>	<u>HOSE ONLY</u>
2" x 50'	600 PSI	ZD60082	ZBBULL2	BH200
3" x 50'	600 PSI	ZD60086	ZD60085	BH300

* Also available in 100' lengths



HIGH TEMP SCORPION (BULL HOSE)

High temp air hose used for industrial and construction applications requiring wire braid with high degree of hot air resistance ranging from -40 to 275.

<u>SIZE</u>	<u>WORKING PRESSURE</u>	<u>FEMALE X FEMALE</u>	<u>FEMALE X MALE</u>	<u>HOSE ONLY</u>
2" x 50'	600 PSI	ZD60091	ZD60093	SC200
3" x 50'	600 PSI	ZD60094	ZD60095	SC300

* Metal hose also available upon request



GROUND JOINT COUPLINGS



<u>SIZE</u>	<u>FEMALE END</u>	<u>MALE END</u>	<u>2/4 BOLT CLAMP</u>	<u>FEMALE SPUD</u>	<u>MALE SPUD</u>	<u>DOUBLE SPUD</u>
1/2"	GJF050	GJM050	B4	GJFS050	GM3	GDB3
3/4"	GJF075	GJM075	BU9	GJFS075	GM8	GDB13
1"	GJF100	GJM100	BU14	GJFS100	GM13	GDB13
1 1/4"	GJF125	GJM125	BU24	GJFS125	GM18	GDB23
1 1/2"	GJF150	GJM150	BU24	GJFS150	GM23	GDB23
2"	GJF200	GJM200	BU29	GJFS200	GM28	GDB28
2 1/2"	GJF250	GJM250	BU34	GJFS250	GM33	GDB33
3"	GJF300	GJM300	BU35	GJFS300	GM38	GDB38

AIR TOOL HOSE ASSEMBLY

For air tool , spray outfits, stapler, nailers, etc. Blue Pliovic hose. 300PSI working pressure.

<u>SIZE</u>	<u>25 FOOT</u> <u>MALE X MALE</u>	<u>50 FOOT</u> <u>MALE X MALE</u>	<u>100 FOOT</u> <u>MALE X MALE</u>
1/4"	PV2525IM	PV2550IM	PV1410IM
3/8"	PV3825IM	PV3850IM	PV3810IM



200 PSI RUBBER AIR HOSE

For air tools, spray outfits, stapler, nailers, etc.

<u>SIZE</u>	<u>25 FOOT</u> <u>MALE X MALE</u>	<u>50 FOOT</u> <u>MALE X MALE</u>	<u>100 FOOT</u> <u>MALE X MALE</u>
1/4"	A142214	A145214	A141214
3/8"	A382214	A385214	A381214
1/2"(3/8"MPT)	A12238	A125238	A121238



300 PSI RUBBER AIR HOSE

For air tools, spray outfits, stapler, nailers, etc.

<u>SIZE</u>	<u>25 FOOT</u> <u>MALE X MALE</u>	<u>50 FOOT</u> <u>MALE X MALE</u>	<u>100 FOOT</u> <u>MALE X MALE</u>
1/4"	A142314	A145314	A141314
3/8"	A382314	A385314	A381314
1/2"(3/8"MPT)	A122338	A125338	A121338



INDUSTRIAL QUICK DISCONNECT COUPLINGS



<u>THREAD/BARB</u>	<u>FEMALE</u> <u>COUPLER</u>	<u>MALE</u> <u>COUPLER</u>	<u>HOSE SHANK</u> <u>COUPLER</u>	<u>FEMALE</u> <u>PLUG</u>	<u>MALE</u> <u>PLUG</u>	<u>HOSE SHANK</u> <u>PLUG</u>
1/4" Thread/ 1/4" Body	C-20	C-21	C20-42	CP-20	CP-21	CP21-42
3/8" Thread/ 1/4" Body	C26-22	C25-02	C26-42	CP26-22	CP25-02	CP25-42
1/4" Thread/ 3/8" Body	C20-23	C21-03	C20-44	CP20-23	CP21-03	CP21-44
3/8" Thread/ 3/8" Body	C26	C25	C26-44	CP-26	CP25	CP25-44

AIR TOOL HOSE

A lightweight economical general purpose hose for air and water used for a wide range of industrial, construction, and agricultural applications. No conductive with a non-marking cover.

<u>SIZE</u>	<u>WORKING PRESSURE</u>	<u>PER FOOT</u>
1/4"	300	PL14BLU
3/8"	300	PL38BLU
1/2"	300	PL12BLU



MULTI-PURPOSE RUBBER AIR/WATER HOSE

An economical air and water hose used for a wide range of industrial, construction and agricultural applications.

<u>SIZE</u>	<u>WORKING PRESSURE</u>	<u>PER FOOT</u>
1/4"	200	HZ142RD
1/4"	250	HZ1425RD
1/4"	300	HZ143RD
3/8"	200	HZ382RD
3/8"	250	HZ3825RD
3/8"	300	HZ383RD
1/2"	200	HZ122RD
1/2"	250	HZ1225RD
1/2"	300	HZ123RD
5/8"	200	HZ582RD
5/8"	250	HZ5825RD
3/4"	200	HZ342RD
3/4"	250	HZ3425RD
3/4"	300	HZ343RD
1"	200	HZ162RD
1 1/4"	200	HZ202RD
1 1/2"	200	HZ242RD
2"	200	HZ32RED



GENERAL PURPOSE RUBBER AIR HOSE

Non conductive general purpose hose used for industrial air service, compressor lines and pneumatic tools where the need for oil resistance is moderate.

<u>SIZE</u>	<u>WORKING PRESSURE</u>	<u>PER FOOT</u>
1/4"	300	WF143RD
3/8'	300	WF383RD
1/2"	300	WF123RD
3/4"	300	WF343RD
1"	300	WF100RD
1 1/4"	300	WF203RD
1 1/2"	300	WF2025R



HIGH PRESSURE MULTI-PURPOSE HOSE

Premium quality, non conductive, industrial hose with a wide range of applications in construction, agricultural, quarries, and mines where the need is high for oil resistance .

<u>SIZE</u>	<u>WORKING PRESSURE</u>	<u>PER FOOT</u>
1/4"	500	GOR-14
3/8'	500	GOR-38
1/2"	500	GOR-12
5/8"	500	GOR-58
3/4"	500	GOR-34
1"	500	GOR-1
1 1/4"	500	GOR-114
1 1/2"	500	GOR-112
2"	500	GOR-2



PUSH ON HOSE

For low pressure hydraulic and pneumatic systems such as shop air, general industrial, maintenance, and automotive assembly applications.

<u>SIZE</u>	<u>WORKING PRESSURE</u>	<u>PER FOOT</u>
1/4"	300	AC14BLK
3/8'	300	AC38BLK
1/2"	300	G12IIIBK
3/4'	300	AC34BLK



PVC WATER SUCTION HOSE

Flexible, smooth bore green PVC, high density PVC spiral embedded in body of hose. Flexible and light weight for easy handling.

Not to be used in extreme temperatures.

<u>SIZE</u>	<u>20' C+E</u>	<u>20' AB</u>	<u>20' C+PN</u>	<u>HOSE ONLY</u>
1 1/2"	NR20105	ZB10100	ZB10239	GP01050
2"	NR20107	ZB10104	NR10105	GP01051
3"	NR20108	ZB10112	NR10113	GP01053
4"	ZB10117	ZB10116	NR10117	GP01054
6"	NR10118	ZB10120	NR10125	GP01056



EPDM WATER SUCTION HOSE

Designed for all weather, low temperature use. Light weight and flexible.

Ideal for septic handling and construction service. Handles most farm chemicals.

<u>SIZE</u>	<u>20' C+E</u>	<u>20' AB</u>	<u>20' C+PN</u>	<u>HOSE ONLY</u>
1 1/2"	ZB10240	ZB10240	NR10241	KA30040
2"	NR30245	ZB10244	NR10245	KA30042
3"	ZB10253	ZB10252	NR10253	KA30043
4"	ZB10257	ZB10256	NR10257	KA30044
6"	ZB10259	NR10263	NR10261	KA30045



RUBBER WATER SUCTION HOSE

Smooth rubber tube will not absorb water, reinforced with multiple textile and helix of steel wire. Tough black rubber cover resists weathering and abrasion.

<u>SIZE</u>	<u>20' C+E</u>	<u>20' AB</u>	<u>20' C+PN</u>	<u>HOSE ONLY</u>
1 1/2"	ZB10200	ZB10201	ZB10202	GP01112
2"	ZB10204	ZB10205	ZB10207	GP01113
3"	ZB10210	ZB10211	ZB10209	GP01115
4"	ZB10214	ZB10215	ZB10219	GP01116
6"	NR10220	AH10217	NR10218	GP01118
8"	NR10222	-	ZB10232	GP01120



HIVAC SUCTION HOSE

Flexible, rugged, crush resistant hose. Round corrugations reduce drag and smooth liner produces high flow. Assemblies include leak proof cuffs and Male/Female couplings.

<u>SIZE</u>	<u>10'</u>	<u>20'</u>	<u>HOSE ONLY</u>	<u>CUFFS ONLY</u>
2"	HV210CE	HV220CE	HV200	CUFF-2
3"	HV310CE	HV320CE	HV300	CUFF-3
4"	HV410CE	HV420CE	HV400	CUFF-4



KANALINE SUCTION HOSE

Flexible and lightweight. Clear wall permits visual check of material flow. Orange helix and spiral yarn reinforcement allow for use with higher pressure..

<u>SIZE</u>	<u>10'</u>	<u>20'</u>	<u>HOSE ONLY</u>
2"	KL210CE	KL220CE	KAL200
3"	KL310CE	KL320BR	KAL300
4"	KL410CE	KL420CE	KAL400
6"	KL610BR	KL620BR	KAL600
8"	KL810BR	KL820BR	KAL800



24^{HR} FAST SHIPPING

ALL STOCK ORDERS WILL SHIP WITHIN 24 HOURS

ALUMINUM QUICK COUPLINGS



SIZE	PART "A" FEMALE ADAPTER	PART "B" MALE COUPLER	PART "C" HOSE SHANK COUPLER	PART "D" FEMALE COUPLER	PART "E" HOSE SHANK ADAPTOR	PART "F" MALE ADAPTOR	DUST CAP	DUST PLUG	RUBBER GASKET
1 1/2"	150-A-AL	150-B-AL	150-C-AL	150-D-AL	150-E-AL	150-F-AL	150-DC-AL	150-DP-AL	BUNA-150
2"	200-A-AL	200-B-AL	200-C-AL	200-D-AL	200-E-AL	200-F-AL	200-DC-AL	200-DP-AL	BUNA-200
2 1/2"	250-A-AL	250-B-AL	250-C-AL	250-D-AL	250-E-AL	250-F-AL	250-DC-AL	250-DP-AL	BUNA-250
3"	300-A-AL	300-B-AL	300-C-AL	300-D-AL	300-E-AL	300-F-AL	300-DC-AL	300-DP-AL	BUNA-300
4"	400-A-AL	400-B-AL	400-C-AL	400-D-AL	400-E-AL	400-F-AL	400-DC-AL	400-DP-AL	BUNA-400
6"	600-A-AL	600-B-AL	600-C-AL	600-D-AL	600-E-AL	600-F-AL	600-DC-AL	600-DP-AL	BUNA-600
8"	800-A-AL	800-B-AL	800-C-AL	800-D-AL	800-E-AL	800-F-AL	800-DC-AL	800-DP-AL	BUNA-800


STAINLESS STEEL QUICK COUPLINGS

SIZE	PART "A" FEMALE ADAPTER	PART "B" MALE COUPLER	PART "C" HOSE SHANK COUPLER	PART "D" FEMALE COUPLER	PART "E" HOSE SHANK ADAPTOR	PART "F" MALE ADAPTOR	DUST CAP	DUST PLUG	RUBBER GASKET
1 1/2"	150-A-SS	150-B-SS	150-C-SS	150-D-SS	150-E-SS	150-F-SS	150-DC-SS	150-DP-SS	BUNA-150
2"	200-A-SS	200-B-SS	200-C-SS	200-D-SS	200-E-SS	200-F-SS	200-DC-SS	200-DP-SS	BUNA-200
2 1/2"	250-A-SS	250-B-SS	250-C-SS	250-D-SS	250-E-SS	250-F-SS	250-DC-SS	250-DP-SS	BUNA-250
3"	300-A-SS	300-B-SS	300-C-SS	300-D-SS	300-E-SS	300-F-SS	300-DC-SS	300-DP-SS	BUNA-300
4"	400-A-SS	400-B-SS	400-C-SS	400-D-SS	400-E-SS	400-F-SS	400-DC-SS	400-DP-SS	BUNA-400
6"	600-A-SS	600-B-SS	600-C-SS	600-D-SS	600-E-SS	600-F-SS	600-DC-SS	600-DP-SS	BUNA-600

POLYPROPYLENE QUICK COUPLINGS

SIZE	PART "A" FEMALE ADAPTER	PART "B" MALE COUPLER	PART "C" HOSE SHANK COUPLER	PART "D" FEMALE COUPLER	PART "E" HOSE SHANK ADAPTOR	PART "F" MALE ADAPTOR	DUST CAP	DUST PLUG	RUBBER GASKET
1 1/2"	150-A-PY	150-B-PY	150-C-PY	150-D-PY	150-E-PY	150-F-PY	150-DC-PY	150-DP-PY	BUNA-150
2"	200-A-PY	200-B-PY	200-C-PY	200-D-PY	200-E-PY	200-F-PY	200-DC-PY	200-DP-PY	BUNA-200
2 1/2"	250-A-PY	250-B-PY	250-C-PY	250-D-PY	250-E-PY	250-F-PY	250-DC-PY	250-DP-PY	BUNA-250
3"	300-A-PY	300-B-PY	300-C-PY	300-D-PY	300-E-PY	300-F-PY	300-DC-PY	300-DP-PY	BUNA-300
4"	400-A-PY	400-B-PY	400-C-PY	400-D-PY	400-E-PY	400-F-PY	400-DC-PY	400-DP-PY	BUNA-400

SUCTION HOSE COUPLING



ALUMINUM WITH BRASS SWIVEL

SIZE	PART #
1 1/2"	AB15
2"	AB20
2 1/2"	AB25
3"	AB30
4"	AB40
6"	AB60

PINLUG RUBBER WASHER



SIZE	PART #
1 1/4"	RW125
1 1/2"	RW150
2"	RW200
2 1/2"	RW250
3"	RW300
4"	RW400
6"	RW600

SPANNER WRENCH



SIZE	PART #
1 1/2"	S-15
2"	S-20
2 1/2"	S-25
3"	S-30
4"	S-40
6"	S-60

SKIMMER STRAINER



SIZE	TOP	BOTTOM
1 1/2"	DST150	BHS150
2"	DST200	BHS200
2 1/2"	DST250	BHS250
3"	DST300	BHS300

STEEL STRAINER



SIZE	ROUND	SQUARE
1 1/2"	RHS150	SHS150
2"	RHS200	SHS200
2 1/2"	RHS250	SHS250
3"	RHS300	SHS300
4"	RHS400	SHS400
6"	RHS600	SHS600
8"	RHS800	SHS800

LONG THIN STRAINER

ZINC PLATED STEEL



SIZE	PART #
1 1/2"	LTS150
2"	LTS200
2 1/2"	LTS250
3"	LTS300
4"	LTS400

COMBINATION HOSE NIPPLE



SIZE	PART #
1/2"	CN050
3/4"	CN075
1"	CN100
1 1/4"	CN125
1 1/2"	CN150
2"	CN200
2 1/2"	CN250
3"	CN300
4"	CN400
6"	CN600

STEEL HOSE MENDER



SIZE	PART #
1/2"	SM050
3/4"	SM075
1"	SM100
1 1/4"	SM125
1 1/2"	SM150
2"	SM200
2 1/2"	SM250
3"	SM300
4"	SM400
6"	SM600

IRON FOOT VALVE WITH STRAINER



REPAIR PARTS AVAILABLE

SIZE	PART #
1 1/2"	FV150
2"	FV200
2 1/2"	FV250
3"	FV300
4"	FV400
6"	FV600

GRAY WATER DISCHARGE HOSE

Gray PVC with textile reinforcement for low pressure, open end service. Lightweight and flexible. Also Available in 25' and 100'

<u>Size</u>	<u>50' w/ M + F Threaded</u>	<u>50' w/ M + F Camlock</u>	<u>Hose Only</u>
1 1/2"	ZB10262	ZB10263	GP01094
2"	ZB10266	ZB10267	GP01095
2 1/2"	ZB10270	ZB10269	GP01096
3"	ZB10274	ZB10275	GP01097
4"	ZB10278	ZB10279	GP01098
6"	ZB10282	ZB10283	GP01099



RED WATER DISCHARGE HOSE

Red PVC with textile reinforcement for higher pressure, open end service. Lightweight and flexible. Also Available in 25' and 100'

<u>Size</u>	<u>50' w/ M + F Threaded</u>	<u>50' w/ M + F Camlock</u>	<u>Hose Only</u>
1 1/2"	ZB10290	ZB10291	GP01106
2"	ZB10296	ZB10297	GP01102
3"	ZB10394	ZB10305	GP01103
4"	ZB10308	ZB10309	GP01104
6"	ZB10312	ZB10313	GP01105



HEAVY DUTY YELLOW DISCHARGE HOSE

Yellow PVC with textile reinforcement for high pressure, open end service. Lightweight and flexible with an abrasion resistant cover. Also Available in 25' and 100'

<u>Size</u>	<u>50' w/ M + F Threaded</u>	<u>50' w/ M + F Camlock</u>	<u>Hose Only</u>
1 1/2"	SF155AB	SF155CE	YL150
2"	SF250AB	SF250CE	YL200
2 1/2"	SF255AB	SF255CE	YL250
3"	SF350AB	SF350CE	YL300
4"	SF450AB	SF450CE	YL400
6"	SF650AB	SF650CE	YL600



ALUMINUM QUICK COUPLINGS



SIZE	PART "A" FEMALE ADAPTER	PART "B" MALE COUPLER	PART "C" HOSE SHANK COUPLER	PART "D" FEMALE COUPLER	PART "E" HOSE SHANK ADAPTOR	PART "F" MALE ADAPTOR	DUST CAP	DUST PLUG	RUBBER GASKET
1 1/2"	150-A-AL	150-B-AL	150-C-AL	150-D-AL	150-E-AL	150-F-AL	150-DC-AL	150-DP-AL	BUNA-150
2"	200-A-AL	200-B-AL	200-C-AL	200-D-AL	200-E-AL	200-F-AL	200-DC-AL	200-DP-AL	BUNA-200
2 1/2"	250-A-AL	250-B-AL	250-C-AL	250-D-AL	250-E-AL	250-F-AL	250-DC-AL	250-DP-AL	BUNA-250
3"	300-A-AL	300-B-AL	300-C-AL	300-D-AL	300-E-AL	300-F-AL	300-DC-AL	300-DP-AL	BUNA-300
4"	400-A-AL	400-B-AL	400-C-AL	400-D-AL	400-E-AL	400-F-AL	400-DC-AL	400-DP-AL	BUNA-400
6"	600-A-AL	600-B-AL	600-C-AL	600-D-AL	600-E-AL	600-F-AL	600-DC-AL	600-DP-AL	BUNA-600
8"	800-A-AL	800-B-AL	800-C-AL	800-D-AL	800-E-AL	800-F-AL	800-DC-AL	800-DP-AL	BUNA-800

STAINLESS STEEL QUICK COUPLINGS

SIZE	PART "A" FEMALE ADAPTER	PART "B" MALE COUPLER	PART "C" HOSE SHANK COUPLER	PART "D" FEMALE COUPLER	PART "E" HOSE SHANK ADAPTOR	PART "F" MALE ADAPTOR	DUST CAP	DUST PLUG	RUBBER GASKET
1 1/2"	150-A-SS	150-B-SS	150-C-SS	150-D-SS	150-E-SS	150-F-SS	150-DC-SS	150-DP-SS	BUNA-150
2"	200-A-SS	200-B-SS	200-C-SS	200-D-SS	200-E-SS	200-F-SS	200-DC-SS	200-DP-SS	BUNA-200
2 1/2"	250-A-SS	250-B-SS	250-C-SS	250-D-SS	250-E-SS	250-F-SS	250-DC-SS	250-DP-SS	BUNA-250
3"	300-A-SS	300-B-SS	300-C-SS	300-D-SS	300-E-SS	300-F-SS	300-DC-SS	300-DP-SS	BUNA-300
4"	400-A-SS	400-B-SS	400-C-SS	400-D-SS	400-E-SS	400-F-SS	400-DC-SS	400-DP-SS	BUNA-400
6"	600-A-SS	600-B-SS	600-C-SS	600-D-SS	600-E-SS	600-F-SS	600-DC-SS	600-DP-SS	BUNA-600

POLYPROPYLENE QUICK COUPLINGS

SIZE	PART "A" FEMALE ADAPTER	PART "B" MALE COUPLER	PART "C" HOSE SHANK COUPLER	PART "D" FEMALE COUPLER	PART "E" HOSE SHANK ADAPTOR	PART "F" MALE ADAPTOR	DUST CAP	DUST PLUG	RUBBER GASKET
1 1/2"	150-A-PY	150-B-PY	150-C-PY	150-D-PY	150-E-PY	150-F-PY	150-DC-PY	150-DP-PY	BUNA-150
2"	200-A-PY	200-B-PY	200-C-PY	200-D-PY	200-E-PY	200-F-PY	200-DC-PY	200-DP-PY	BUNA-200
2 1/2"	250-A-PY	250-B-PY	250-C-PY	250-D-PY	250-E-PY	250-F-PY	250-DC-PY	250-DP-PY	BUNA-250
3"	300-A-PY	300-B-PY	300-C-PY	300-D-PY	300-E-PY	300-F-PY	300-DC-PY	300-DP-PY	BUNA-300
4"	400-A-PY	400-B-PY	400-C-PY	400-D-PY	400-E-PY	400-F-PY	400-DC-PY	400-DP-PY	BUNA-400

200 PSI SINGLE JACKET MILL HOSE

Single Synthetic fabric jacket, rubber lined. For open end water discharge and light duty wash down service. Rot and Mildew resistant cover.

<u>SIZE</u>	<u>50' AB</u>	<u>50' C+E</u>	<u>HOSE ONLY</u>
1 1/2"	ZB10337	AH10020	SJM150
2"	ZB10338	AH10021	SJM200
2 1/2"	ZB10341	AH10024	SJM250
3"	ZB10339	AH10022	SJM300
4"	ZB10340	AH10023	SJM400

1 1/2" and 2 1/2" available with NST threads.




300 PSI DOUBLE JACKET MILL HOSE

Double Synthetic fabric jacket, rubber lined. For open end water discharge and light duty wash down service. Rot and Mildew resistant cover.

<u>SIZE</u>	<u>50' AB</u>	<u>50' C+E</u>	<u>HOSE ONLY</u>
1 1/2"	NR02555	AH150CE	DJM150
2 1/2"	NR02554	AH250CE	DJM250

1 1/2" and 2 1/2" available with NST threads.



DOUBLE JACKET FIRE HOSE

Double Synthetic fabric jacket, rubber lined. Rot and Mildew resistant cover. Used for municipal wash down and heavy duty equipment/pump rental. Couplings are internally expanded with NPSH or NST threads.

<u>SIZE</u>	<u>NPSH</u>	<u>NST</u>
1 1/2" x 50'	ZA20505	ZA20550
2 1/2" x 50'	FA2500N	FA2501N



800 PSI DOUBLE JACKET FIRE HOSE

Double Synthetic fabric jacket, rubber lined. Rot and Mildew resistant cover. Used for municipal wash down and heavy duty equipment/pump rental. Couplings are internally expanded with NPS or NST threads.

<u>SIZE</u>	<u>NST</u>
1 1/2" x 50' (Yellow)	ZA20500
2 1/2" x 50' (White)	FA2550N



BRASS ADAPTERS & CONNECTORS



<u>FEMALE SWIVEL X MALE ADAPTER</u>	<u>PART #</u>
2 1/2"NST x 2 1/2" NPT	09-215-1
2 1/2"NST x 2" NPT	09-215-4
2 1/2"NST x 3" NPT	09-215-2



<u>MALE X MALE SOLID ADAPTER</u>	<u>PART #</u>
1 1/2"NST x 1 1/2" NPT	14-146-9
2 1/2"NST x 2 1/2" NST	14-146-17
2 1/2"NST x 1 1/2" NPT	14-146-18
2 1/2"NST x 2" NPT	14-146-11
2 1/2"NST x 3" NPT	14-146-13
4 1/2"NST x 4" NPT	14-146-19



<u>FEMALE X MALE SOLID ADAPTER</u>	<u>PART #</u>
2 1/2"NST x 3/4" GHT	09-130-2
1 1/2"NST x 1 1/2" NPT	14-155-12
2 1/2"NPSH x 2 1/2" NST	14-155-11
2 1/2"NST x 2 1/2" NPT	14-155-14
2 1/2"NST x 1 1/2" NPSH	09-130-6
2 1/2"NST x 1 1/2" NPT	09-130-7
2 1/2"NST x 2" NPT	09-130-9
2 1/2"NST x 1" NPSH	09-130-4
2 1/2"NST x 3" NPT	15-216-5
3" NPSH x 2 1/2" NST	09-130-12
4 1/2"NST x 2 1/2" NST	09-149-2



<u>NST GASKET</u>	<u>PART #</u>
1 1/2"	RW150NST
2 1/2"	RW250NST



<u>SPANNER WRENCH</u>	<u>PART #</u>
1 1/2"	S-15
2 1/2"	S-25



<u>ADJUSTABLE HYDRANT WRENCH</u>	<u>PART #</u>
Iron	AW-1

NOZZLES



<u>ADJUSTABLE BRASS</u>	<u>PART #</u>
1 1/2" NPSH	BF1
1 1/2" NST	BF2



<u>NON ADJUSTABLE BRASS</u>	<u>PART #</u>
3/4" GHT x 6"	TN1
1" NPSH x 8"	TN3
1 1/4" NPSH x 10"	TN4
1 1/2" NPSH x 12"	TN5
1 1/2" NST x 12"	TN6
2" NPSH x 12"	TN7
2 1/2" NST x 12"	TN8



<u>ADJUSTABLE RED PLASTIC</u>	<u>PART #</u>
1" NPSH	1030IPT
1 1/2" NPSH	PF1
1 1/2" NST	PF2
2" NPSH	PF4
2 1/2" NST	PF3



<u>NON ADJUSTABLE RED PLASTIC</u>	<u>PART #</u>
1 1/2" NPSH x 10"	1510
1 1/2" NST x 10"	1510NST

200 PSI CONTRACTORS WATER HOSE

Black EPDM water hose with heavy duty brass male and female couplings.

<u>SIZE</u>	<u>25'</u>	<u>50'</u>	<u>100'</u>
3/4" (GHT)	NR60025	ZD60065	341HZ2



CONTRACTORS GARDEN HOSE

For wide range of industrial, construction, and agricultural water discharge applications in which a general service water hose is needed. Coupled with brass garden hose fittings.

<u>SIZE</u>	<u>PSI</u>	<u>50'</u>	<u>100'</u>
5/8" Green	100	SS5850	SS58100
5/8" Black	150	NR60050	NR60054



BLACK WEEPER/SOAKER HOSE

Provides gentle, even soaking as water "weeps" through thousands of pores. Use above ground or bury for precise watering around plants and flower beds. With durable brass couplings.


<u>SIZE</u>	<u>25'</u>	<u>50'</u>	<u>100'</u>
5/8"	27-58025	27-58050	27-58100



3 TUBE SPRINKLER/SOAKER HOSE

5/8" all in one. Ideal for new grass, gardens, trees, and shrubs. With a white indicator stripe for proper positioning.

<u>SIZE</u>	<u>25'</u>	<u>50'</u>
5/8"	GM27141	GM27142



WATER HOSE COUPLING



<u>HOSE ID</u>	<u>THREAD</u>	<u>PART #</u>
3/8"	GHT	GHTM0
1/2"	GHT	GHTM1
5/8"	GHT	GHTM2
3/4"	GHT	GHTM3
1"	NPSH	GHTM4

SOLID ADAPTERS



<u>DESCRIPTION</u>	<u>PART #</u>
3/4" Male NPT x 3/4" Male GHT	GH3-12
3/4" Male GHT x 1/2" Male NPT	GH3-8
3/4" Female NPT x 3/4" Male GHT	GH4-12
1/2" Female NPT x 3/4" Male GHT	GH4-8
3/4" Female NPT x 3/4" Female GHT	GH5-12

BRASS NOZZLE



<u>PART #</u>
GH1

INSULATED NOZZLE



<u>PART #</u>
LN-528C

RUBBER GASKETS



<u>PART #</u>
GHTW

HOSE MENDERS & COUPLERS



	<u>5/8"</u>	<u>3/4"</u>
Male	C58M	C34M
Female	C58F	C34F
Mender	C58HM	C34HM

SHUT OFF VALVE



<u>DESCRIPTION</u>	<u>PART #</u>
Straight	GHV
"Y"	GHYV

PRESSURE WASH HOSE

General use, medium duty. One Wire braid. Oil resisting tube and cover for cold or hot water. Coupled 3/8 MPT each end with bend restrictors.

DESCRIPTION	PSI	PART #
3/8" x 50'	4000	ZD60300
3/8" x 50'	6000	ZD60500



HEAVY DUTY PRESSURE WASH HOSE

Industrial use, heavy duty. One Wire braid. Oil resisting tube and cover for cold or hot water. Coupled 3/8 MPT each end with bend

DESCRIPTION	PSI	PART #
3/8" x 50'	3000	ZD60200-HD
3/8" x 50'	4000	ZD60300-HD
3/8" x 50'	6000	ZD60500-HD



PRESSURE WASH QUICK DISCONNECT COUPLINGS



DESCRIPTION	PART #
3/8" Female Coupler Brass	7218
3/8" Female Coupler SS	7243



DESCRIPTION	PART #
3/8" Female Plug Brass	7197
3/8" Female Plug SS	7189



DESCRIPTION	PART #
3/8" Male Coupler Brass	7217
3/8" Male Coupler SS	7242



DESCRIPTION	PART #
3/8" Male Plug Brass	7198
3/8" Male Plug SS	7188

PRESSURE WASH WAND

Plated Steel with 1/4" MPT each end

DESCRIPTION	PART #
18"	5170D18
24"	5170D24
36"	5170D36
48"	5170D48



PRESSURE WASH GUN

DESCRIPTION	PART #
Brass	5030NP

PRESSURE WASH TIPS



YELLOW	GREEN	RED	BLACK	WHITE
YL15	GR25	RED0	BLACK	WH40

FULL ASSEMBLY

DESCRIPTION	PART #
Gun, 36" wand & quick disconnects	5030NP-1

BLOWER HOSE

For use with portable blowers and heaters to provide ventilation and/or smoke removal. Extremely flexible and light weight for easy storage and installation. Complete with belts and cuffs on one ends.

<u>SIZE</u>	<u>CUFFS BOTH ENDS</u>
8" x 15'	NR00815
8" x 25'	NR00825
10" x 25'	NR001025
12" x 25'	NR00225



SPIRAL WIRE - HI-TEMP HEATER DUCTING

Manufactured with reinforced fabric with high heat silicone coated fiberglass fabric starter section. Duct has excellent resistance to abrasion, flame, grease, and oils. This duct comes with a continuous heavy duty extruded wearstrip to protect from ground abrasion, two 1" wide black web straps with clip buckle attached to secure duct when not in use and attached wire round end rings on both ends. Material conforms to fire resistant standards UL-94V-O. Temperature rating: -65F to 265F.

<u>SIZE</u>	<u>PART #</u>
Black 20" x 10'	NR002010-H
Black 20" x 25'	NR002025-H
Black 16" x 25'	NR001625-H
Black 12" x 25'	NR001225-H



24^{HR} FAST SHIPPING

ALL STOCK ORDERS WILL SHIP WITHIN 24 HOURS

STRAW BLOWER HOSE

	<u>PART #</u>
4"	GT400
5"	GT500
6"	GT600



LEAF VAC HOSE

	<u>PART #</u>
4"	150CL-4
5"	150CL-5
6"	150CL-6



180 BL

Lightweight abrasion resistant blower and suction hose is designed for suction and light blowing of lightweight abrasives such as rockwool, fiberglass, sawdust, grain, insulation and cement dust. Temp range -40°F to 140°F.

	<u>MAX WORKING PRESSURE</u>	<u>LENGTH</u>	<u>PART #</u>
4"	10	100'	180BL-4
6"	8	100'	180BL-6
8"	8	50'	180BL-8



180 AR

Heavy duty abrasive resistant suction hose for vacuum trucks or handling abrasives such as crushed rock, sand, pea gravel, cement, dry fertilizer, iron ore, and grains. Temp range -40°F to 140°F.

	<u>MAX WORKING PRESSURE</u>	<u>LENGTH</u>	<u>PART #</u>
1 1/2"	45	100'	180AR-15
2"	40	100'	180AR-2
2 1/2"	35	100'	180AR-25
3"	35	100'	180AR-3
4"	30	100'	180AR-4
5"	30	100'	180AR-5
6"	30	100'	180AR-6
8"	30	100'	180AR-8
10"	28	100'	180AR-10
12"	25	50'	180AR-12



HYDRO SEEDER REPLACEMENT HOSE

DESCRIPTION	PART #
1 1/4" x 150' Red 200 PSI w/ Internally Expanded MPT	HYDRO-150X150
DESCRIPTION	PART #
1 1/4" x 100' Clear Braid w/ Internally Expanded MPT	HYDRO-150X150CB



STEAM HOSE (250 PSI)

Used in severe environmental conditions such as refineries, chemical plants, and ship yards to convey steam. Temp range 0°F - 450°F

DESCRIPTION	PART #
1/2" x 25'	FS1225
1/2" x 50'	FS1250



SANDBLAST HOSE

For the conveyance of highly abrasive materials in sandblasting operations used in construction, ship yards, steel mills and refineries.

SIZE	OD	PART #
1/2"	1 1/16"	GSB050
3/4"	1 1/2"	GSB075
1"	1 7/8"	GSB100
1 1/4"	2 1/8"	GSB125
1 1/2"	2 3/8"	GSB150



SANDBLAST COUPLING



SIZE	PART #
3/4"	Q1A
1"	Q2A
1 1/4"	Q3A
1 1/2"	Q4A

SANDBLAST WASHER



PART #
SW

SANDBLAST NOZZLE HOLDER



SIZE	PART #
3/4"	NE1A
1"	NE2A
1 1/4"	NE3A
1 1/2"	NE4A

AIRLESS PAINT HOSE (3300 PSI)

Lightweight and flexible static conductive hose for airless paint spray.
Temp range -20°F to 200°F.

<u>SIZE</u>	<u>PART #</u>
1/4" x 50'	PS-3003
3/8" x 50'	ALP383300



LPG BUTANE-PROPANE HOSE

Flexible, heavy duty, high pressure hose for handling LP gas. UL listed. Can also be used for natural gas. Temp range -40°F to 140°F

<u>SIZE</u>	<u>PART #</u>
1/4"	LPV14
3/8'	LPV38
1/2'	LP350-12
3/4"	LPG34
1 1/4"	LP350-114



PETROLEUM SUCTION HOSE (150 PSI)

A flexible and lightweight hose that handles all grades of gasoline (up to 50% aromatic) or petroleum based fluids from cars, tank trucks or bulk plants. Temp range -40°F to 180°F.

<u>SIZE</u>	<u>MAX WORKING PRESSURE</u>	<u>PART #</u>
1 1/2"	150	FW150
2"	150	FW200
3"	150	FW300
4"	150	FW400



PETROLEUM SUCTION ASSEMBLIES

<u>SIZE</u>	<u>10'</u>	<u>20'</u>	<u>25'</u>
1 1/2"	FW1510CE	FW1520CE	FW1525CE
2"	FW210CE	FW220CE	FW225CE
3"	FW310CE	FW320CE	FW325CE
4"	FW410CE	FW420CE	FW425CE

HYDRAULIC HOSE CRIMPER

- Crimps full range of hose up to 1 1/4" four spiral hose
- Can be mounted on a bench or service vehicle
- Swing away cylinder provides easy die and assembly loading and unloading
- Light and buzzer alerts when crimping is complete
- 1/2 horse power electric pump
- Comes with five die sets



**A&H IS A FULL LINE DISTRIBUTOR OF GATES
HYDRAULIC HOSE, FITTINGS AND ACCESSORIES**



ALUMINUM QUICK COUPLINGS



SIZE	PART "A" FEMALE ADAPTER	PART "B" MALE COUPLER	PART "C" HOSE SHANK COUPLER	PART "D" FEMALE COUPLER	PART "E" HOSE SHANK ADAPTOR	PART "F" MALE ADAPTOR	DUST CAP	DUST PLUG	RUBBER GASKET
1 1/2"	150-A-AL	150-B-AL	150-C-AL	150-D-AL	150-E-AL	150-F-AL	150-DC-AL	150-DP-AL	BUNA-150
2"	200-A-AL	200-B-AL	200-C-AL	200-D-AL	200-E-AL	200-F-AL	200-DC-AL	200-DP-AL	BUNA-200
2 1/2"	250-A-AL	250-B-AL	250-C-AL	250-D-AL	250-E-AL	250-F-AL	250-DC-AL	250-DP-AL	BUNA-250
3"	300-A-AL	300-B-AL	300-C-AL	300-D-AL	300-E-AL	300-F-AL	300-DC-AL	300-DP-AL	BUNA-300
4"	400-A-AL	400-B-AL	400-C-AL	400-D-AL	400-E-AL	400-F-AL	400-DC-AL	400-DP-AL	BUNA-400
6"	600-A-AL	600-B-AL	600-C-AL	600-D-AL	600-E-AL	600-F-AL	600-DC-AL	600-DP-AL	BUNA-600
8"	800-A-AL	800-B-AL	800-C-AL	800-D-AL	800-E-AL	800-F-AL	800-DC-AL	800-DP-AL	BUNA-800

STAINLESS STEEL QUICK COUPLINGS

SIZE	PART "A" FEMALE ADAPTER	PART "B" MALE COUPLER	PART "C" HOSE SHANK COUPLER	PART "D" FEMALE COUPLER	PART "E" HOSE SHANK ADAPTOR	PART "F" MALE ADAPTOR	DUST CAP	DUST PLUG	RUBBER GASKET
1 1/2"	150-A-SS	150-B-SS	150-C-SS	150-D-SS	150-E-SS	150-F-SS	150-DC-SS	150-DP-SS	BUNA-150
2"	200-A-SS	200-B-SS	200-C-SS	200-D-SS	200-E-SS	200-F-SS	200-DC-SS	200-DP-SS	BUNA-200
2 1/2"	250-A-SS	250-B-SS	250-C-SS	250-D-SS	250-E-SS	250-F-SS	250-DC-SS	250-DP-SS	BUNA-250
3"	300-A-SS	300-B-SS	300-C-SS	300-D-SS	300-E-SS	300-F-SS	300-DC-SS	300-DP-SS	BUNA-300
4"	400-A-SS	400-B-SS	400-C-SS	400-D-SS	400-E-SS	400-F-SS	400-DC-SS	400-DP-SS	BUNA-400
6"	600-A-SS	600-B-SS	600-C-SS	600-D-SS	600-E-SS	600-F-SS	600-DC-SS	600-DP-SS	BUNA-600

POLYPROPYLENE QUICK COUPLINGS

SIZE	PART "A" FEMALE ADAPTER	PART "B" MALE COUPLER	PART "C" HOSE SHANK COUPLER	PART "D" FEMALE COUPLER	PART "E" HOSE SHANK ADAPTOR	PART "F" MALE ADAPTOR	DUST CAP	DUST PLUG	RUBBER GASKET
1 1/2"	150-A-PY	150-B-PY	150-C-PY	150-D-PY	150-E-PY	150-F-PY	150-DC-PY	150-DP-PY	BUNA-150
2"	200-A-PY	200-B-PY	200-C-PY	200-D-PY	200-E-PY	200-F-PY	200-DC-PY	200-DP-PY	BUNA-200
2 1/2"	250-A-PY	250-B-PY	250-C-PY	250-D-PY	250-E-PY	250-F-PY	250-DC-PY	250-DP-PY	BUNA-250
3"	300-A-PY	300-B-PY	300-C-PY	300-D-PY	300-E-PY	300-F-PY	300-DC-PY	300-DP-PY	BUNA-300
4"	400-A-PY	400-B-PY	400-C-PY	400-D-PY	400-E-PY	400-F-PY	400-DC-PY	400-DP-PY	BUNA-400

UNIVERSAL HOSE COUPLINGS



SIZE	HOSE END	FEMALE END	MALE END	2/4 BOLT CLAMP
1/4"	UH025	UF025	UM025	-
3/8"	UH037	UF037	UM037	-
1/2"	UH050	UF050	UM050	B4
3/4"	UH075	UF075	UM075	BU9
1"	UH100	UF100	UM100	BU14
1 1/4"	4L125	4F125	-	BU24
1 1/2"	4L150	4F150	-	BU24
2"	4L200	4F200	-	BU29

SAFETY CLIP



PART #

SC

SAFETY LANYARD



PART #

SL

SAFETY WHIP-CHECK



HOSE TO HOSE

3-WAY CONNECTOR



PART #

TC

UNIVERSAL GASKETS



SIZE

PART #

2 Lug

U2W

4 Lug

U4W

DUAL "Y" VALVE-VENTED



PART #

BBV100DWV

OSHA SAFETY CHECK VALVE



SIZE

PART #

3/4"

SCHV6

1"

SCHV8

1 1/4"

SCHV10

1 1/2"

SCHV12

2"

SCHV16

3"

SCHV24

HOSE TO TOOL

HOSE ID	LENGTH	PART #
1/2"- 1 1/4"	20 1/4"	HC1
1 1/2"- 3"	38"	HC2

COMPRESSOR "Y"



PART #

Y10075

INLINE LUBRICATOR



SIZE	CAPACITY	PART #
1/2"	1.4 oz	BL-0
3/4"	3.7 oz	PL400
3/4"	11 oz	BL-2
1"	16 oz	PL500

SUCTION HOSE COUPLING



ALUMINUM WITH BRASS SWIVEL

SIZE	PART #
1 1/2"	AB15
2"	AB20
2 1/2"	AB25
3"	AB30
4"	AB40
6"	AB60

PINLUG RUBBER WASHER



SIZE	PART #
1 1/4"	RW125
1 1/2"	RW150
2"	RW200
2 1/2"	RW250
3"	RW300
4"	RW400
6"	RW600

SPANNER WRENCH



SIZE	PART #
1 1/2"	S-15
2"	S-20
2 1/2"	S-25
3"	S-30
4"	S-40
6"	S-60

SKIMMER STRAINER



SIZE	TOP	BOTTOM
1 1/2"	DST150	BHS150
2"	DST200	BHS200
2 1/2"	DST250	BHS250
3"	DST300	BHS300



SIZE	ROUND	SQUARE
1 1/2"	RHS150	SHS150
2"	RHS200	SHS200
2 1/2"	RHS250	SHS250
3"	RHS300	SHS300
4"	RHS400	SHS400
6"	RHS600	SHS600
8"	RHS800	SHS800

LONG THIN STRAINER

ZINC PLATED STEEL



SIZE	PART #
1 1/2"	LTS150
2"	LTS200
2 1/2"	LTS250
3"	LTS300
4"	LTS400

IRON FOOT VALVE WITH STRAINER



REPAIR PARTS AVAILABLE

SIZE	PART #
1 1/2"	FV150
2"	FV200
2 1/2"	FV250
3"	FV300
4"	FV400
6"	FV600

STEEL HOSE MENDER



SIZE	PART #
1/2"	SM050
3/4"	SM075
1"	SM100
1 1/4"	SM125
1 1/2"	SM150
2"	SM200
2 1/2"	SM250
3"	SM300
4"	SM400
6"	SM600

COMBINATION HOSE NIPPLE



SIZE	PART #
1/2"	CN050
3/4"	CN075
1"	CN100
1 1/4"	CN125
1 1/2"	CN150
2"	CN200
2 1/2"	CN250
3"	CN300
4"	CN400
6"	CN600

BRASS ADAPTERS & CONNECTORS



<u>FEMALE SWIVEL X MALE ADAPTER</u>	<u>PART #</u>
2 1/2"NST x 2 1/2" NPT	09-215-1
2 1/2"NST x 2" NPT	09-215-4
2 1/2"NST x 3" NPT	09-215-2



<u>MALE X MALE SOLID ADAPTER</u>	<u>PART #</u>
1 1/2"NST x 1 1/2" NPT	14-146-9
2 1/2"NST x 2 1/2" NST	14-146-17
2 1/2"NST x 1 1/2" NPT	14-146-18
2 1/2"NST x 2" NPT	14-146-11
2 1/2"NST x 3" NPT	14-146-13
4 1/2"NST x 4" NPT	14-146-19

<u>FEMALE X MALE SOLID ADAPTER</u>	<u>PART #</u>
2 1/2"NST x 3/4" GHT	09-130-2
1 1/2"NST x 1 1/2" NPT	14-155-12
2 1/2"NPSH x 2 1/2" NST	14-155-11
2 1/2"NST x 2 1/2" NPT	14-155-14
2 1/2"NST x 1 1/2" NPSH	09-130-6
2 1/2"NST x 1 1/2" NPT	09-130-7
2 1/2"NST x 2" NPT	09-130-9
2 1/2"NST x 1" NPSH	09-130-4
2 1/2"NST x 3" NPT	15-216-5
3" NPSH x 2 1/2" NST	09-130-12
4 1/2"NST x 2 1/2" NST	09-149-2



<u>NST GASKET</u>	<u>PART #</u>
1 1/2"	RW150NST
2 1/2"	RW250NST



<u>SPANNER WRENCH</u>	<u>PART #</u>
1 1/2"	S-15
2 1/2"	S-25



<u>ADJUSTABLE HYDRANT WRENCH</u>	<u>PART #</u>
Iron	AW-1

NOZZLES



<u>ADJUSTABLE BRASS</u>	<u>PART #</u>
1 1/2" NPSH	BF1
1 1/2" NST	BF2



<u>NON ADJUSTABLE BRASS</u>	<u>PART #</u>
3/4" GHT x 6"	TN1
1" NPSH x 8"	TN3
1 1/4" NPSH x 10"	TN4
1 1/2" NPSH x 12"	TN5
1 1/2" NST x 12"	TN6
2" NPSH x 12"	TN7
2 1/2" NST x 12"	TN8



<u>ADJUSTABLE RED PLASTIC</u>	<u>PART #</u>
1" NPSH	1030IPT
1 1/2" NPSH	PF1
1 1/2" NST	PF2
2" NPSH	PF4
2 1/2" NST	PF3



<u>NON ADJUSTABLE RED PLASTIC</u>	<u>PART #</u>
1 1/2" NPSH x 10"	1510
1 1/2" NST x 10"	1510NST

GROUND JOINT COUPLINGS



<u>SIZE</u>	<u>FEMALE END</u>	<u>MALE END</u>	<u>2/4 BOLT CLAMP</u>	<u>FEMALE SPUD</u>	<u>MALE SPUD</u>	<u>DOUBLE SPUD</u>
1/2"	GJF050	GJM050	B4	GJFS050	GM3	GDB3
3/4"	GJF075	GJM075	BU9	GJFS075	GM8	GDB13
1"	GJF100	GJM100	BU14	GJFS100	GM13	GDB13
1 1/4"	GJF125	GJM125	BU24	GJFS125	GM18	GDB23
1 1/2"	GJF150	GJM150	BU24	GJFS150	GM23	GDB23
2"	GJF200	GJM200	BU29	GJFS200	GM28	GDB28
2 1/2"	GJF250	GJM250	BU34	GJFS250	GM33	GDB33
3"	GJF300	GJM300	BU35	GJFS300	GM38	GDB38

INDUSTRIAL QUICK DISCONNECT COUPLINGS



<u>THREAD/BARB</u>	<u>FEMALE COUPLER</u>	<u>MALE COUPLER</u>	<u>HOSE SHANK COUPLER</u>	<u>FEMALE PLUG</u>	<u>MALE PLUG</u>	<u>HOSE SHANK PLUG</u>
1/4" Thread/ 1/4" Body	C-20	C-21	C20-42	CP-20	CP-21	CP21-42
1/4" Thread/ 3/8" Body	C26-22	C25-02	C26-42	CP26-22	CP25-02	CP25-42
3/8" Thread/ 1/4" Body	C20-23	C21-03	C20-44	CP20-23	CP21-03	CP21-44
3/8" Thread/ 3/8" Body	C26	C25	C26-44	CP-26	CP25	CP25-44

SANDBLAST COUPLING



<u>SIZE</u>	<u>PART #</u>
3/4"	Q1A
1"	Q2A
1 1/4"	Q3A
1 1/2"	Q4A

SANDBLAST WASHER



<u>PART #</u>
SW

SANDBLAST NOZZLE HOLDER



<u>SIZE</u>	<u>PART #</u>
3/4"	NE1A
1"	NE2A
1 1/4"	NE3A
1 1/2"	NE4A

BRASS FERRULES



SIZE	LENGTH	PART #
1/4"	3/4"	B-550
5/16"	1"	B-625
3/8"	1"	B-718
1/2"	1"	B-850
5/8"	1"	B-925
3/4"	1"	B-1150
1"	1"	B-1225

BENT STEM SWIVEL



DESCRIPTION	PART #
3/8" Male NPT x 7/8" 24 thread	ATS7838M
3/8" Female NPT x 7/8" 24 thread	ATS7838F
1/2" Hose Shank x 7/8" 24 thread	ATS7812H
1/2" Hose Shank x 1/2" NPT	ATS1212H

3 IN 1 AIR MANIFOLD



INLET THREAD (1)	OUTLET THREAD (3)	PART #
1/4" NPT	1/4" NPT	320-120
3/8" NPT	1/4" NPT	320-121
1/2" NPT	1/4" NPT	320-122

BRASS MENDER



SIZE	PART #
1/4"	32-093
3/8"	32-095
1/2"	32-096

FEMALE AIR CHUCK



PART #
AC250

BALL SWIVEL



SIZE	PART #
1/4"	D444S
3/8"	D446S

AIR TOOL SWIVEL



SIZE	PART #
1/4"	D344U
3/8"	D346U
1/2"	D348U

BRASS BALL VALVE



SIZE	RATING	PART #	W/SAFETY VENT
1/4"	600#	BBV025	BBV25LV
3/8"	600#	BBV037	BBV37LV
1/2"	600#	BBV050	BBV50LV
3/4"	550#	BBV075	BBV75LV
1"	550#	BBV100	BBV100LV
1 1/4"	300#	BBV125	BBV125LV
1 1/2"	300#	BBV150	BBV150LV
2"	300#	BBV200	BBV200LV

BRASS FITTINGS



SIZE	MALE THREAD	FEMALE THREAD
1/4" x 1/4"	MPT 0404	FS 0404
5/16" x 1/4"	MPT 0504	FS 0504
3/8" x 1/4"	MPT 0604	FS 0604
3/8" x 3/8"	MPT 0606	FS 0606
1/2" x 3/8"	MPT 0806	FS 0806
1/2" x 1/2"	MPT 0808	FS 0808
3/4" x 3/4"	MPT1212	FS 1212
1" x 1"	MPT 1616	FS 1616

WATER HOSE COUPLING



<u>HOSE ID</u>	<u>THREAD</u>	<u>PART #</u>
3/8"	GHT	GHTM0
1/2"	GHT	GHTM1
5/8"	GHT	GHTM2
3/4"	GHT	GHTM3
1"	NPSH	GHTM4

SOLID ADAPTERS



<u>DESCRIPTION</u>	<u>PART #</u>
3/4" Male NPT x 3/4" Male GHT	GH3-12
3/4" Male GHT x 3/4" Male NPT	GH3-8
3/4" Female NPT x 3/4" Male GHT	GH4-12
3/4" Female NPT x 3/4" Male GHT	GH4-8
3/4" Female NPT x 3/4" Female GHT	GH5-12

BRASS NOZZLE



<u>PART #</u>
GH1

INSULATED NOZZLE



<u>PART #</u>
LN528C

RUBBER GASKETS



<u>PART #</u>
GTHW

HOSE MENDERS & COUPLERS



	<u>5/8"</u>	<u>3/4"</u>
Male	C58M	C34M
Female	C58F	C34F
Mender	C58HM	C34HM

SHUT OFF VALVE



<u>DESCRIPTION</u>	<u>PART #</u>
Straight	GHV
"Y"	GHYV

PRESSURE WASH QUICK DISCONNECT COUPLINGS



<u>DESCRIPTION</u>	<u>PART #</u>
3/8" Female Coupler Brass	7218
3/8" Female Coupler SS	7243



<u>DESCRIPTION</u>	<u>PART #</u>
3/8" Female Plug Brass	7197
3/8" Female Plug SS	7189



<u>DESCRIPTION</u>	<u>PART #</u>
3/8" Male Coupler Brass	7217
3/8" Male Coupler SS	7242



<u>DESCRIPTION</u>	<u>PART #</u>
3/8" Male Plug Brass	7198
3/8" Male Plug SS	7188



PRESSURE WASH WAND

Plated Steel with 1/4" MPT each end

<u>DESCRIPTION</u>	<u>PART #</u>
18"	5170D18
24"	5170D24
36"	5170D36
48"	5170D48

PRESSURE WASH GUN

<u>DESCRIPTION</u>	<u>PART #</u>
Brass	5030NP

FULL ASSEMBLY

<u>DESCRIPTION</u>	<u>PART #</u>
Gun, 36" wand & quick disconnects	5030NP-1

PRESSURE WASH TIPS

<u>YELLOW</u>	<u>GREEN</u>	<u>RED</u>	<u>BLACK</u>	<u>WHITE</u>
YL15	GR25	RED0	BLACK	WH40

PIPE FITTINGS



<u>SIZE</u>	<u>CLOSE NIPPLE</u>	<u>THREADED FLANGE</u>
1 1/2"	57-140	T150
2"	57-160	T200
2 1/2"	57-180	T250
3"	57-200	T300
4"	57-220	T400
6"	57-300	T600

<u>SIZE</u>	<u>HEX BUSHING</u>	<u>BELL REDUCER</u>
2" x 1 1/2"	65-531	65-454
2 1/2" x 2"	65-535	65-462
3" x 2"	65-538	65-456
3" x 2 1/2"	65-539	65-463
4" x 3"	65-543	65-457
6" x 4"	65-545	65-491

BUCKLE STYLE PRE-FORMED CLAMPS

<u>HOSE ID</u>	<u>BAND SIZE</u>	<u>CLAMPS/BOX</u>	<u>PART #</u>
3/8"	13/16"	100	JS301
1/2"	1 3/8"	100	JS302
3/4"	1 1/4"	100	JS304
1"	1 1/2"	100	JS305
1 1/2"	2"	100	JS307
2"	2 3/4"	100	JS310
2 1/2"	3 1/2"	50	JS312
3"	4"	25	JS313
4"	5"	25	JS315
6"	7"	25	JS318



CENTER PUNCH PRE-FORMED CLAMPS

<u>HOSE ID</u>	<u>BAND SIZE</u>	<u>CLAMPS/BOX</u>	<u>PART #</u>
3/8" - 1/2"	1 3/16"	100	CP3
3/4"	1 1/4"	100	CP5
1"	1 1/2"	100	CP6
1 1/2"	2"	100	CP9
2"	2 3/4"	50	CP11
2 1/2"	3 1/2"	50	CP14
3"	4"	25	CP16
4"	5"	25	CP20
6"	7"	25	CP28



POK-IT II TOOL

<u>PART #</u>
BJ020



P-1 CENTER PUNCH-LOK TOOL

<u>PART #</u>
BC300



S38 CENTER PUNCH TOOL

<u>PART #</u>
BC38



BANDIT TOOL

<u>PART #</u>
C002



HOSE

AGRICULTURAL SPRAY	FLEXIBLE METAL	MILL
AIR & WATER	FOOD & BEVERAGE	PLASTER & GROUT
AIR DRILL	FUEL OIL	PNEUMATIC
ALL PURPOSE	GARDEN	SANDBLAST
ASPHALT	GASOLINE & OIL	SAND SUCTION
BRAIDED TEFLON	GENERAL PURPOSE	SEWER CLEANING
CEMENT PLACEMENT	HIGH PRESSURE SPRAY	SPRAY STEAM SUCTION
CHEMICAL	HOT AIR BLOWER	TANK TRUCK
DREDGE	HYDRAULIC	WATER DISCHARGE
DRY CARGO	LEAF COLLECTOR	VACUUM
DUST COLLECTOR	MARINE EXHAUST	WATER SUCTION
EXHAUST & VENTILATION	MATERIAL HANDLING	WELDING
FIRE	METAL BRAIDED	

HYDRAULICS

COUPLINGS
ADAPTERS
HOSE ASSEMBLIES
HOSE GUARDS

TUBING

LATEX
CLEAR VINYL
NYLON REINFORCED
TEFLON
POLYETHYLENE

SAFETY PRODUCTS

BOOTS
EYEWEAR
GLOVES
HARD HATS
HEARING PROTECTION
RAINWEAR
TRAFFIC SAFETY

ACCESSORIES

ADAPTORS
BANDING & CLAMPS
COUPLINGS
FITTINGS
NOZZLES
STRAINERS

BELTING

BELT FASTENERS
CHUTE LINING
CLEATS
CONVEYOR
METAL MESH
PVC
SPECIALTY
SKIRT BOARD
V BELT

OTHER PRODUCTS

DOCK GUARD
EXTRUSIONS
GASKETS
TARPS & STRAPS
RUBBER PARTS
RUBBER SHEETING
WHEEL CHOCKS

GOT HOSE?



WWW.AHHOSE.COM